



Walthr
Hospitality and Beyond



Walthr Story

Walthr Corporation Limited, headquartered in the UK, is a leading manufacturer of operational equipment and amenities for the hospitality industry. Aesthetic designs and functional superiority makes Walthr the preferred brand of industry professionals all over the world. State of the art production facilities and stringent British quality standards, place Walthr products in a class of its own.

Beginning its operations with Guest Room Appliances and Amenities, Walthr now encompasses all related spheres like Rolling Equipment and Trolleys for Front office and Housekeeping segments, Banquet Furniture, Outdoor Furniture, Buffet Presentation etc. Walthr has an extensive range to provide a one-stop solution to discerning clients around the globe, offering exceptional durability and tremendous value for money. Our in-house design team is highly qualified and capable of meeting ever evolving customer demands for innovation and customization.

Content

IN-ROOM

01

GUESTROOM

ROOM DUSTBIN	08
DOCK SATION	10
ALARM CLOCK	13
TORCH	14
LUGGAGE RACK	15
COAT HANGER STAND	16

02

MINIBAR

MINIBAR	17
KETTLE	21
COFFEE PLUNGER	25
ICE BUCKET	26
BOTTLE OPENER	27
VACUUM FLASK	28
COFFEE MACHINE	29

03

WARDROBE

SAFE	30
IRON	33
IRON BOARD	35
ORGANISER	37
HANGERS	39
SHOE TREE - MALE & FEMALE	40
LAUNDRY BASKET	41

04

WASHROOM

MIRROR	45
HAIR DRYER	46
PERSONAL SCALE	51
WASTE BIN	53
BATH TUB CADDY	54
ANTI SKID MAT	55
BATH TUB PILLOW	55

05

BESPOKE

LEATHERETTE	58
RESIN STONE	63
RESIN	65
METAL	66
MOTHER OF PEARL	67
WOOD	69

06

TROLLEYS | HOUSEKEEPING

LAUNDRY	72
CHAMBERMAID	76
MINIBAR CART	78
ROOM SERVICE	79

07

TROLLEY | FRONT OFFICE

LUGGAGE CART	84
--------------	----





Guestroom

ROOM DUSTBIN



IR-RD001

- Powder coated with stainless steel ring covered with Leatherette
- Fire retardant liner
- Size : 225*270mm
- Shape : Round/ Oval



IR-RD002

- Powder coated with stainless steel ring
- Fire retardant liner
- Size : 225*270mm
- Shape : Round/ Oval



IR-RD004

- Stainless steel in red bronze plated
- Fire retardant liner
- Size : 200*300mm



IR-RD003

- Stainless steel outer and inner bin
- Fire retardant liner
- Size : 200*300mm
- Finish : Matt / Mirror



IR-RD005

- Rectangular stainless steel dustbin
- Fire retardant liner
- Size : 225*165*275mm
- Finish : Matt / Mirror

IR-RD006

- Specially designed twin recycle bin with logo
- Powder coated liner
- Size : 300*240*280mm



IR-RD007

- Round 10 litres outer bin in black powder coated finish
- Comes in 2-piece inner recycle bin liners
- Bin liners in light and dark grey colors
- With printed recycle and non-recycle insignias for easy differentiation
- Easy to remove and clean

IR-RD008

- Rectangle 10 litres outer bin in black powder coated finish
- Comes in 2-piece inner pp liners
- Bin liners in black and blue colors
- With printed recycle and non-recycle insignias for easy differentiation
- Easy to remove and clean
- Size: 300 x 240 x 280 mm



DOCK STATION

IR-DS001

- 2.6 Inch Lcd display - fm radio with 20 stations storage
- Charging and playing your smartphone
- Snooze / sleep functions - single function key for easy operation
- Single alarm and choose to wake up to radio or buzzer
- Dual usb chargers : 5v 1a & 5v 2.0a
- Backlit lcd with 4 dimming levels
- Universal bluetooth speaker, compatible with any smartphones
- 3.5mm stereo line-in cable (included)
- Anti-theft security cable is included
- Certification : CE / ROHS / FCC



IR-DS002

- Compatible with ipad and mobile phones
- Ac power adaptor
- Charging ports : double usb
- Driver units : 27mm
- Power adaptor : AC 110-240v, 50/60hz, DC 5v 3a
-

Feature

- 3.2 Inch Lcd screen
- 4 Dimming levels
- Double usb ports smart charging
- Easy alarm clock set-up
- Adjustable alarm volume
- Music alarm ringtone
- Snooze function
- Thermometer function with °F/°C switch
- Without bluetooth / with bluetooth





IR-DS007

- 3.2 inch LCD screen
- Multilevel dimmable
- Alarm clock and Snooze function
- Double USB charging ports
- Speaker system
- Built-in Bluetooth
- Wireless music player
- FM radio
- Compatible with iPad and mobile phones
- Audio Source: Bluetooth, Micro SD
- Output Power: 3W+3W
- Driver Units: 2x40mm
- S/N Ratio: >65dB
- Bluetooth Version: 4.2
- Bluetooth Range: 10M
- Radio Frequency Range: 87.5MHz-108MHz
- Size: 13.8x13.8x7cm
- Power: AC 100-240V, 50/60Hz, DC5V 3A



IR-DS008

- 3.2 inch LCD Screen
- Multilevel dimmable
- Wireless charging function fast
- 2 USB charging ports
- High bass speaker
- FM radio
- Built-in Bluetooth
- Wireless music player
- Bluetooth hands-free function
- Dual alarm clock
- Snooze function
- Built-in high quality lithium battery
- Compatible with Bluetooth-enabled smart phone, iPad and computer
- Audio Source: Bluetooth
- Output Power: 3W+3W
- Driver Units: 2x52mm
- S/N Ratio: >65dB
- Bluetooth Version: 5.0
- Bluetooth Range: 10M
- Size: 13.8x13.8x8.4cm
- Power: AC 100-240V, 50/60Hz, DC 9V 2A



IR-DS009

- Qi-enabled bluetooth speaker with alarm clock with radio
- 10w wireless charging
- Wireless music player
- Dual alarm, wake up to melody or fm radio
- Fm radio, up to 20 station storage
- Daylight-saving time mode
- 4 Level dimmable
- 1a usb charging port
- Snooze function
- Available color: Black, White
- Bluetooth technology index
- Standard: bluetooth 4.0
- Bluetooth profiles: a2dp,avrcp,hfp,hsp
- Receive range: within 10 meters

IR-DS010

- 2.5-inch LCD digital large screen display
- Multi level display brightness adjustment
- Alarm clock and snooze function
- Wireless fast charging
- Dual Type-C charging ports
- USB charging function
- High quality speaker
- Built in Bluetooth
- Digital broadcasting
- Wireless music playback
- FM radio
- AC adapter power supply
- Music input source: Bluetooth, audio input
- Output power: 3W + 3W
- Drive unit: 2x40mm
- Signal to noise ratio: > 65dB
- Bluetooth version: 4.2
- Bluetooth distance: 10M
- Radio frequency: 87.5MHz-108MHz



IR-DS011

- LED digital large screen display
- Multilevel dimmable
- Bluetooth wireless music
- 15W wireless fast charging
- USB charging port (optional)
- Type-C charging port
- Single day alarm
- Snooze function
- Built-in 1200mha lithium battery
- Built-in three kinds of white noise to help sleep
- One click to turn off alarm
- Compatible with Bluetooth-enabled smart phone and tablet
- Powered by AC adapto
- Music output power: 3W
- Drive unit: 1x40mm
- Bluetooth version: 5
- Bluetooth connection distance: 10M



ALARM CLOCK

IR-AC002

- Fashion design digital alarm clock
- Wooden frame
- Black matt finish
- With night light



IR-AC001

- Stainless steel matt finish
- Round shape
- With night light

TORCH



IR-TR001

- Specially designed emergency torch
- Auto-on when removed from holder
- Auto-off when placed in holder
- Energy saving led lights (13 led)
- Operates on 3 x aa cells
- Non-slip handle
- Color options - Black / Silver



IR-TR002

- Use krypton bulb for 70% brighter
- Blinking led indicator showing its position and Batteries power automatic on when pull out from
- Base bracket
- Push back when not in use
- Color options - Black/ Silver



IR-TR003

- Mini wall mounted torch
- Bulb type : 6 led's
- Wall-mounted holder for automatic switch-off
- Operates on 3 x aaa battery
- With fluorescent label
- Color options - Black / Silver



IR-TR004

- Power-off mode: hall magnetic induction switch, light up when removed from holder.
- Battery: dedicated rechargeable battery.
- Light source: high-power leo chip lamp beads
- With flashing indicator light for emergency escape
- Charging mode: the battery needs to be independently charged by usb.
- 72 Hours of continuous light ing, 18 months of standby on a single charge
- Colocr: Black aluminum alloy flashlight.
- Rechargeable battery one year warranty.
- Size: 160 x 30 x 44 mm

LUGGAGE RACK



IR-LR001

- Foldable luggage rack
- Solid metal construction
- Silver chrome finish
- 4 Durable black straps
- Size : 610*430*540mm



IR-LR002

- Foldable luggage rack
- Solid metal construction with back support
- Silver chrome finish
- 4 Durable black straps
- Size : 680*405*715mm
- With back rest support



IR-LR003

- Stainless steel
- 5 Durable pu leather strip for extra support
- Double bar back support
- Foldable
- Size : 600*450*600mm



IR-LR004

- Solid rubber wood
- Water & pest resistant
- Foldable
- Wood color as per client request
- Size : 600*450*680mm



IR-LR005

- Modern and elegant design
- 6 Durable black straps
- Foldable with back bar
- Made of solid wood
- Water and pest resistant
- Size : 600*460*520mm



IR-LR006

- Stainless steel
- High quality 6 pu leather strips
- Foldable
- Size : 650*600*600mm



IR-LR007

- Solid rubber wood
- Water & pest resistant
- Foldable
- Wood color as per client request with two layer
- Size : 650*430*550mm

COAT HANGER STAND



IR-CHS003

- 304# Stainless steel frame with solid base
- Solid rubber wood clothes rack
- Size : 470*150*1240mm



IR-CHS001

- Material: wood, single pole
- Color: dark brown, matt
- Size: 460(w)*240(d)*1080(h)mm



IR-CHS002

- 304# Stainless steel frame
- Beachwood
- Size : 275 * 350 * 1175 mm



Mini Bar



IR-MB001

- Absorption mini-refrigerator
- Capacity 30 Ltr
- Cooling system absorption (nh₃, h₂o, he)
- Foam vesicant c₅h₁₀ / c-pentane
- Cooling temperature 4-6 to 7-9
- Weight 15 kg
- Ac voltage ac 220-240v / 50-60hz
- Rated power 70 w
- Consumption of energy 0.70 Kwh/24h
- Dimensions 400mm×410mm×500mm
- Intelligent automatic defrost
- Energy-saving & frost-free electronic type thermostat system
- Concealed thermal regulator for convinient adjustment and preventing customer changing the setting arbitrarily
- li generation of absorption cooling technique, totoally noiseless when working;
- Adjustable high visible transparent door racks with stainless steel bar and transparent seperators
- 4 Different size of door racks are available on request (0.2l/0.3l/0.5l/1.5l)
- Strong deluxe tempred glass shelves with stoppers x 1;
- Lock (with master key) is available on request;
- Reversible door opening direction;
- Cfc free thermal insulation with ultra cooling efficiency;
- Door controled low rated power led light (magnet sensor) ;
- Integrated door handles for easy openning.
- Applicable CE, EMC, GS
- Approvals & directives : ROHS

IR-MB002



- Absorption mini-refrigerator
- Capacity 30 Ltr
- Cooling system absorption (nh₃, h₂o, he)
- Foam vesicant c₅h₁₀ / c-pentane
- Cooling temperature 4-6 to 7-9
- Weight 15 kg
- Ac voltage ac 220-240v / 50-60hz
- Rated power 70 w
- Consumption of energy 1.2 Kwh/24h
- Dimensions 400mm×420mm×500mm
- Intelligent automatic defrost ;
- Energy-saving & frost-free electronic type thermostat system, with off function;
- Concealed thermal regulator for convinient adjustment and preventing customer changing the setting arbitrarily ;
- li generation of absorption cooling technique, totoally noiseless when working;
- Three-layer tempered glass door structure with argon gas-filled;
- Frost free & condensing free glass door, with good cold preservation;
- Strong deluxe tempred glass shelves with stoppers x 2;
- Reversible door opening direction;
- Cfc free thermal insulation with ultra cooling efficiency;
- Door controled low rated power led light (magnet sensor) ;
- Applicable CE, EMC, GS
- Approvals & directives : ROHS



IR-MB003

- Absorption mini-refrigerator
- Capacity 40 Ltr
- Cooling system absorption (nh3, h2o, he)
- Foam vesicant c5h10 / c-pentane
- Cooling temperature 4~6 to 7~9
- Weight 18 kg
- Ac voltage ac 220~240v / 50~60hz
- Rated power 70 w
- Consumption of energy 0.75 Kwh/24h
- Dimensions 400mm×430mm×560mm
- Intelligent automatic defrost
- Energy-saving & frost-free electronic type thermostat system
- Concealed thermal regulator for convinient adjustment and preventing customer changing the setting arbitrarily
- li generation of absorption cooling technique, totoally noiseless when working;
- Adjustable high visible transparent door racks with stainless steel bar and transparent seperators
- 4 Different size of door racks are available on request (0.2l/0.3l/0.5l/1.5l)
- Strong deluxe tempred glass shelves with stoppers x 2;
- Lock (with master key) is available on request;
- Reversible door opening direction;
- Cfc free thermal insulation with ultra cooling efficiency;
- Door controled low rated power led light (magnet sensor) ;
- Integrated door handles for easy openning.
- Applicable CE, EMC, GS
- Approvals & directives : ROHS

IR-MB004



- Mini cooler
- Capacity 40 Ltr
- Cooling system absorption (nh3, h2o, he)
- Foam vesicant c5h10 / c-pentane
- Cooling temperature 4~6 to 7~9
- Weight 18 kg
- Ac voltage ac 220~240v / 50~60hz
- Rated power 70 w
- Consumption of energy 1.30 Kwh/24h
- Concealed thermal regulator for convinient adjustment and preventing customer changing the setting arbitrarily ;
- Strong deluxe tempred glass shelves with stoppers x 2;
- Reversible door opening direction;
- Cfc free thermal insulation with ultra cooling efficiency;
- Door controled low rated power led light (magnet sensor) ;
- Applicable CE, EMC, GS
- Approvals & directives : ROHS

IR-MB005



- Absorption mini-refrigerator
- Capacity 60 Ltr
- Cooling system absorption (nh3, h2o, he)
- Foam vesicant c5h10 / c-pentane
- Cooling temperature 4-6 to 7-9
- Weight n.W:21.5 Kg (g.W:24kg)
- Ac voltage ac 220-240v / 50-60hz
- Rated power 85 w
- Consumption of energy 0.95 Kwh/24h
- Dimensions 490mm×490mm×580mm (552mm×560mm×662mm)
- Intelligent automatic defrost
- Energy-saving & frost-free electronic type thermostat system
- Concealed thermal regulator for convinient adjustment and preventing customer changing the setting arbitrarily
- li generation of absorption cooling technique, totoally noiseless when working;
- Adjustable high visible transparent door racks with stainless steel bar and transparent seperators
- 4 Different size of door racks are available on request (0.2l/0.3l/0.5l/1.5l)
- Strong deluxe tempred glass shelves with stoppers x 2;
- Lock (with master key) is available on request;
- Reversible door opening direction;
- Cfc free thermal insulation with ultra cooling efficiency;
- Door controled low rated power led light (magnet sensor) ;
- Integrated door handles for easy openning.
- Applicable CE, EMC, GS
- Approvals & directives : ROHS

IR-MB006



- Absorption mini-refrigerator
- Capacity 60 Ltr
- Cooling system absorption (nh3, h2o, he)
- Foam vesicant c5h10 / c-pentane
- Cooling temperature 4-6 to 7-9
- Weight 25.5 Kg
- Ac voltage ac 220-240v / 50-60hz
- Rated power 85 w
- Consumption of energy 1.45 Kwh/24h
- Dimensions 490mm×500mm×580mm
- Intelligent automatic defrost ;
- Energy-saving & frost-free electronic type thermostat system, with off function;
- Concealed thermal regulator for convinient adjustment and preventing customer changing the setting arbitrarily ;
- li generation of absorption cooling technique, totoally noiseless when working;
- 4Three-layer tempered glass door structure with argon gas-filled;
- Frost free & condensing free glass door, with good cold preservation;
- Strong deluxe tempred glass shelves with stoppers x 2;
- Reversible door opening direction;
- Cfc free thermal insulation with ultra cooling efficiency;
- Door controled low rated power led light (magnet sensor) ;
- Applicable CE, EMC, GS
- Approvals & directives : ROHS

KETTLE



IR-EK001

- 220-240v, 50/60hz, 1000-1200w
- 360° Cordless base kettle
- Capacity: 1.0 Ltr
- Auto lid-opening design
- Water level indicator
- Boil dry protection
- Automatic shut off
- With uk strix thermo control
- With concealed heating element
- Anti-slip feet design
- Color : Black / White



IR-WT002

- High grade melamine material
- Big tray : 385*308* 22.5mm
- Medium tray : 335*132*11.0mm
- Tea tray : 155*115*50mm
- Color : Black / White



IR-EK005

- Food grade 304# stainless steel
- Double wall & cool touch
- Automatic shut-off
- Boil dry & overheating protection
- With uk strix thermo control
- Seamless tank, easy to clean
- 220-240v - 1500w, 50/60hz
- Capacity : 1.2 Ltr
- Color : white with grey / black



IR-WT004

- Tray set for kettle IR EK005
- High density abs material with stainless
- Steel drip tray, compartments for sachets & tea spoon

IR-EK021

- Double Wall Stainless Steel Electric Kettle
- Construction:
- Inner Flask: S/S 304, One-piece, Weldless
- Outside Housing: Stainless Steel, Cool Touch
- Scald Proof:
- Temperature: Outer temperature is only about 40°C when water boils, safe to use
- Design: Targeted Use: Hi-end hotels and resorts
- Style: Elegant design, fine workmanship
- Safety Control: Controller: UK Strix Thermocontrol with Three-Action Protection
- Convenience: Filter and Steam Vent: Optimized for easy cleaning
- Cord Storage: Yes
- Operation: 360-degree cordless operation
- Features: Design: Simple yet elegant, integrated, and detailed-oriented
- Capacity and Power:
- Capacity: 1.0 L
- Power: AC 220V, 1350W
- Dimensions: Height: 20 cm, Width: 19 cm
- Base Diameter: 13.5 cm



IR-EK008

- 304# Stainless steel brushed surface
- 360° Cordless base
- Concealed stainless steel heating element
- Wide mouth for easy cleaning
- With uk strix thermo control
- Automatically switch off with power indicator light
- Boil dry and overheat protection
- Safety lock lid
- Removable water filter
- 220-240v 50/60hz, 900w
- Capacity : 0.6 Ltr



IR-WT001

- Abs construction for more strength and durability
- Easy to clean
- Finished in wood grain texture
- Removable 304 ss drip tray to contain spills
- Size: 36 x 24 x 3.5cm
- Kettle compatible with IR-EK008



IR-WT003

- High grade melamine material
- Color : Black / White
- Kettle compatible with IR-EK010

IR-EK010

- 304# Stainless steel matt finish
- 360° Cordless base
- Concealed stainless steel heating element
- Wide mouth for easy cleaning
- With uk strix thermo control
- Automatically switch off with power indicator light
- Boil dry and overheat protection
- Safety lock lid
- 220-240v 50/60hz, 1200w
- Capacity : 0.8 Ltr



IR-EK012

- 304# Stainless steel
- Automatic shut-off
- Boil dry & overheating protection
- With max line inside of the kettle body
- With uk strix thermo control
- 220-240v - 1000w, 50/60hz
- Capacity : 1 ltr



IR-EK015

- 304# Stainless steel with black pp handle
- 360° Cordless base.
- Removable filter.
- External water level indicator
- Indicator light
- Safety locking lid
- Automatic switch off
- With uk strix thermo control
- With concealed heating element
- 220-240v~50hz,1500-1785w
- Capacity : 1.2 Ltr
- Finish : Matt / Mirror



IR-EK018

- 304 Grade premium stainless steel
- Capacity: 1.0 Liters
- Stainless steel construction 360 degree
- Rotational base automatic thermostat
- Switch off while boiling overheat and
- Dry-boil protection power on/off
- Indicator lamp 220-240v, 50/60h, 1850-2200w



IR-EK019

- Double wall 304 S/S electric kettle--inner flask:one-piece,weldless; outside housing:304 S/S free of finger marks;
- Scald proof: outside housing temperature is only 60 when water boils, safe to use;
- Elegant design, fine workcraft, specially for luxury hotels and resorts;
- Open handle, flat hinged lid; optimized filter and steam vent, easy to clean
- Strix thermocontrol, three-action protection;
- Capacity: 0.6l; AC220-240v, 1000w, saving water and energy, eco-friendly.
- H:175mm, W: 180mm,



IR-EK020

- 1.2l, 220-240v, 1000-1200w, 50/60hz
- Material: inside stainless steel 304, outside is color stainless steel, middle is plastic.
- Cordless electric kettle: separate base move kettle conveniently. 360 °Rotation design.
- Two metal controller, double safety protection for chy boiling.
- Steam switch for automatic power off when water boiled.
- Concealed heating element, safety and easy cleaning.
- Uk strix cottoller
- Color - SS / Graphite/ Copper



IR-WT006



Black Melamine Kettle Tray
Dimensions: 455 x 205 x 25 mm
Shape: Rectangular
Special Feature: Durable

IR-EK021



Double Wall Stainless Steel Electric Kettle
Construction:
Inner Flask: S/S 304, One-piece, Weldless
Outside Housing: Stainless Steel, Cool Touch
Scald Proof:
Temperature: Outer temperature is only about 40°C when water boils, safe to use
Design: Targeted Use: Hi-end hotels and resorts
Style: Elegant design, fine workmanship
Safety Control: Controller: UK Strix Thermocontrol with Three-Action Protection
Convenience: Filter and Steam Vent: Optimized for easy cleaning
Cord Storage: Yes
Operation: 360-degree cordless operation
Features: Design: Simple yet elegant, integrated, and detailed-oriented
Capacity and Power:
Capacity: 1.0 L
Power: AC 220V, 1350W
Dimensions: Height: 20 cm, Width: 19 cm
Base Diameter: 13.5 cm

IR-EK022



Double Wall Electric Kettle
Construction: Inner Flask: S/S 304, One-piece, Weldless
Outside Housing: Grand new food-grade plastic with a cool-touch feature
Scald Proof: Temperature: Outer temperature is only about 40°C when water boils, safe to use
Design: Handle: Swing handle
Lid: Magsafe lid for comfortable use
Finish: Matt finish housing, resistant to fingermarks
Safety Control: Thermocontrol: Advanced Strix electronic thermocontrol with three-action protection
Convenience: Operation: 360° cordless
Spout: Big spout for easy cleaning
Capacity: 0.6 L
Power: AC 220V, 1350W
Dimensions: Height: 23.2 cm (overall), 17.6 cm (without base)
Width: 21.3 cm
Base Diameter: 13.8 cm
Eco-Friendly:
Features: Energy and water saving



IR-EK023



360° Rotational S/S Kettle

Construction: Material: Stainless Steel (S/S)

Heating Element: Concealed for safety and easy cleaning

Design Features: Lid: Automatic lid-opening structure

Filter: Removable

Lid Lock: Safety locking lid

Water Window: External water window for easy viewing

Operation: Switch: Indicator light on the switch

Switch Off: Automatically and manually switch off

Specifications: Voltage: 220-240V, 50/60Hz

Power: 1850-2200W

Colors: Red / Blue

IR-EK024



1.0L Single Wall Stainless Steel Kettle

Voltage & Frequency: 220-240V, 50-60Hz

Power: 1000-1200W

Capacity: 1.0 Liters

Construction & Design:

Material: Single wall, 304 stainless steel

Heating Element: Concealed for easy cleaning

Powerbase: 360° rotational with cord storage

Controller: Tianming CONTROLLER

Plug: Small South African plug with BIS certificate

Cable: 3X 0.75mm², outer length: 70-75cm

Features:

Safety: Fully automatic shut-off with dry boil protection

Indicator: Light to show power status



IR-EK025

1.0L Stainless Steel Electric Kettle

Voltage & Frequency: 220-240V~, 50/60Hz

Power: 1500-1800W

Capacity: 1.0 Liter

Construction & Design:

Material: SUS304 stainless steel kettle body

Heating Element: Concealed stainless steel heating element with SUS304 heating plate

Base: 360-degree cordless base

Water Window: Yes

Lid: Safety locking lid

Features:

Automatic Shut-Off: Automatically cuts off while boiling

Safety Protections: Boil dry and overheat protection

Convenience: Removable filter

Additional Features: Cord storage

IR-EK026



1.0L Double Wall Electric Kettle

Voltage & Frequency: 220-240V, 50-60Hz

Power: 1000-1200W

Capacity: 1.0 Liter

Construction & Design:

Material: High-class 304 stainless steel

Wall: Double wall, cool touch

Inner Lid: Stainless steel

Heating Element: Concealed for easy cleaning

Water Level Indicator: Yes

Features:

Automatic Shut-Off: Fully automatic with dry boil protection

Base: 360-degree rotational powerbase with cord storage

Controller: Strix

Plug: Small South African plug with BIS certificate, 3X 0.75mm² outer length: 70-75cm

Indicator Light: Yes

IR-EK027



1.0L Double Wall Electric Kettle

Voltage & Frequency: 220-240V, 50-60Hz

Power: 1000-1200W

Capacity: 1.0 Liter

Construction & Design:

Material: High-class 304 stainless steel

Wall: Double wall, cool touch

Inner Lid: Stainless steel

Heating Element: Concealed for easy cleaning

Features:

Automatic Shut-Off: Fully automatic with dry boil protection

Base: 360-degree rotational powerbase with cord storage

Controller: Tianming

Plug: BS plug, 3X 0.75mm², outer length: 70-75cm

Indicator Light: Yes

IR-EK028



0.8L Double Wall Electric Kettle
Voltage & Frequency: 220-240V~, 50-60Hz
Power: 1000-1200W
Capacity: 0.8 Liter
Construction & Design:
Material: Outside Body: PP plastic
Water Gauge: PC (food grade, not BPA free)
Inner Body: SS304 stainless steel
Wall: Double wall, cool touch
Surface Finish: Matt with soft touch
Water Gauge: PC water gauge under handle
Features:
Lid: Push button on the handle to open the lid
Power Cord: Storable
Indicator Light: LED indicator in switch button
Base: Separate and rotational, easy to operate
Heating Element: Concealed for safety and easy cleaning Controller:
UK STRIX
Safety Features:
Automatic Switch Off: When water boils
Dry Boiling & Overheating Protection: Yes
Construction: Seamless welding, one-piece inside without gap between
body and heating plate



IR-WT005



Material: ABS with wood grain finish
Better handfeel and free of finger marks
Design: All-in-one design
Cavities for sachets, spoon, and cups
Dimensions: Size: 458 mm x 228 mm x 38 mm
Application: Tray designed for IR-EK019 kettle

COFFEE PLUNGER



IR-CP002

- 304# Stainless steel with glass
- Black anti scald handle
- Glass thickness 2 mm
- Capacity : 350 ml / 600ml



IR-CP005

- High grade 18/10 stainless steel
- Double wall construction for superior insulation & heat retention
- Steel mesh plunger mechanism
- Capacity : 500 ml and 800 ml
- Finish : Matt / Mirror



IR-EK004

- High grade 18/10 stainless steel
- Double wall construction for superior insulation & Heat retention
- Steel mesh plunger mechanism
- Capacity : 500 ml and 800 ml
- Finish : Matt / Mirror



IR-CP003

- High grade 18/10 stainless steel
- Double wall construction for superior insulation & heat retention
- Steel mesh plunger mechanism
- Capacity : 500 ml and 800 ml
- Finish : Matt / Mirror

ICE BUCKET

IR-IBT005

- Double wall
- Capacity 1.3 Ltr
- An easy-carry handle and ice tongs with built-in lid storage
- Keeps ice longer without messy outside condensation



IR-IBT001

- Stainless steel
- Double wall
- Capacity 1.2 Ltr
- With ice tong
- Finish : Matt / Mirror



IR-IBT002

- Stainless steel
- Double wall
- Capacity 1.0 Ltr
- With ice tong
- Finish : Matt / Mirror



IR-IBT003

- Stainless steel with leatherette with ice tong
- Capacity : 1.6 Ltr

IR-IBT004

- Stainless steel | Double wall
- Capacity 1 ltr with ice tong
- Finish : Matt / Mirror
- Specifically designed for preserving temperature upto 10hrs

IR-BO001

- Foldable compact unit
- 100% Metal, teflon coated device
- Comprising - knife, corkscrew & bottle opener



BOTTLE OPENER

IR-BO002

- With levers to make uncorking of bottles easier
- Bottle opener in the handle.
- Length : 16 cm



VACUUM FLASK

IR-VF001

- Stainless Steel
- Double wall
- It is so easy to drink coffee any time you want as the heat can be kept for as long as 10 hours.
- Finish : Matt / Mirror
- Capacity : 1.0 Ltr, 1.5 Ltr and 2.0 Ltr



IR-VF002

- Stainless Steel
- Double wall
- Suitable for holding cold and hot beverages
- Keep beverages hotter, colder, fresher and longer for up to 10 hours
- Finish : Matt / Mirror
- Capacity : 1.0 Ltr and 1.5 Ltr



COFFEE MACHINE



IR - CM002

- Size: 330mm x 155mm x 255mm
- Voltage : 220-240v/110-120v
- Frequency : 50/60hz
- Rated power: 1400w
- Pressure : 19bar
- Water tank capacity : 800ml
- Rated power: 1400w
- Pressure : 19bar
- Color : Black/ Red/ White



IR-ES001

SAFE

- Rust-proof surface with quality powder coating finish
- Size (w*d*h) : 420 * 370 * 200 mm
- Thickness of the safe body : 1.5 Mm
- Thickness of the door : 4 mm

Feature:

- Digital keypad with bright led display
- Auto electronic lock
- Motorized opening/locking by 2 bolts: 20mm dia
- 3 Ways to open the safe
 - Private code(3-6 digits)
 - Master code
 - Key optional
- Safe will hold 15 min in case of 3 times wrong try
- Pre-drilled holes with fixing bolts
- Emergency battery hole
- Power : 4*1.5v cells
- Light, ceu system, audit trial of last 1000 opening record
- Available color : Black / White





IR-ES003

- Top open safe
- Size (w*d*h) : 410 * 350 * 150 mm

Feature:

- Motorized opening/locking by 2 bolts: 20mm dia
- 3 Ways to open the safe
 - Private code (3-6 digits)
 - Master code
 - Key optional
- Safe will hold 15 min in case of 3 times wrong try battery operated (ac option)
- Security lock-out system
- Audit trail of 1000 past events
- Mechanical key override available
- Available in Black and White



IR-ES004

- Sand stone matt finish
- Size (w*d*h) : 380 * 450 * 200 mm
- Thickness of the safe body : 2mm
- Thickness of the door : 5mm
- Operate by 3-6 digital code
- Led display
- Fault detecting timing function
- Safe will hold 15 min in case of 3 times wrong try
- With led light inside
- Audit trail of last 1000 past events
- Available color : Black / White





IR-ES005

- Size (w*d*h) : 420 * 410 * 230 mm
- Thickness of the safe body : 1.5 Mm
- Thickness of the door : 5 mm

Feature:

- 4 Ways to open the safe
 - Private code (3-6 digits)
 - Card locking
 - Master code
 - Key optional
- Safe will hold 15 min in case of 3 times wrong try
- Pre-drilled holes with fixing bolts
- Emergency battery hole
- Power : 4*1.5v cells
- Light, ceu system, audit trial of last 1000 opening record
- Color : Ivory / Black

LOGGER

- It is easy to view a history of actions
- (Records of the dates and times
- When the safe was opened) and to
- Unlock the safe.



A built-in ironing station in a closet. A white robe hangs on a dark hanger from a metal rod. To the right, a blue and white steam iron is mounted on a white wall, with its cord coiled and plugged into a power outlet. Below the iron, a brown ironing board is mounted vertically. The closet door on the right has a horizontal slat design and a small rectangular handle. The text "Iron Station" is written in a white, cursive font at the bottom of the image.

Iron Station

IRON



IR-IR001

- Fabric guide indicator
- Adjustable steam and spray self cleaning system.
- Ceramic sole plate
- Auto shut off
- Anti calc
- Anti drip
- Dry / steam / spray / burst function
- 220v-50hz
- Watts 1600w
- Auto off after 30 sec in horizontal, 8 min in vertical positions
- 3mtr power cord
- Water tank capacity: 300ml



IR-IR002

- Fabric guide indicator
- Adjustable steam and spray self cleaning system.
- Non stick teflon coated sole plate
- Anti calc
- Anti drip
- Dry / steam / spray / burst function
- 220v-50hz
- Watts 1200w
- Auto off after 30 sec in horizontal, 8 min in vertical positions
- 3mtr power cord
- Water tank capacity: 220ml



IR-IR003

- Color : black
- Fabric guide indicator
- Adjustable steam and spray self cleaning system.
- Ceramic sole plate
- Auto shut off , anti calc & anti drip
- Dry i steam /spray/ burst function
- 220-240v-50hz
- Watts 2200w
- Auto off after 30 sec in horizontal, 8 min in
- Vertical positions
- 3mtr power cord
- Water tank capacity: 300ml



GARMENT STEAMER



IR-SIR001

Voltage: 220-240V, 50-60Hz Power: 220W

Motor Type: DC motor Functions:

Sense touch function

2 speeds

3 heat settings

Cool shot function Features:

Styling concentrator Removable

end cap Hanging-up loop

IR-SIR002



Voltage: 220-240V, 50-60Hz
Power: 1100-1300W
Water Tank:
Capacity: 150ml (large and detachable)
Weight: 0.93kg
Steam Output: 26g/min
Size: Folded: 222 x 94 x 122 mm
Open: 185.5 x 94 x 225 mm
Color Options: White and Gray

IRON BOARD



IR-IB001

- Made of heavy-duty construction
- Steel mesh top
- Automatic locking mechanism when folded
- Multi-welded t-leg construction
- Height adjustment
- Pre-treated pad in one-piece 10mm
- Thickness for scorch resistance.
- Available size : 990*330*800 mm
- 1150*330*820 Mm
- Available color : Brown / Black/Gray

IR-IB002

- Made of heavy-duty construction
- Steel mesh top
- Automatic locking mechanism when folded
- With iron rest
- Multi-welded t-leg construction
- Height adjustment
- Pre-treated pad in one-piece 10mm
- Thickness for scorch resistance.
- Size : 1100*340*820/1270mm,
- Available color : Brown / Black/ Gray



IR-IB003

- Made of heavy-duty construction
- Steel mesh top
- Automatic locking mechanism when folded
- With iron rest
- Multi-welded t-leg construction
- Height adjustment
- Pre-treated pad in one-piece 10mm thickness
- For scorch resistance.
- Size : 920*340*820/1120mm,
- Available color : Brown / Black/Gray



IR-IB005

- Mesh top design allows iron steam easy penetrate
- Variable height adjustment up to 85 cm
- 28mm big tube ensure strong structure
- Anti-fire cover with 10mm felt padding
- Foldable flat save storage space
- With anti-theft iron rest
- Size: 1190x406x820mm
- Available color : Brown / Black/Gray

ORGANISER

IR-IO001

- PBT high temperature resistant material
- 2 Sizes available

Features :

- Heat resistant accessories with hook & fixing screws
- Weight : 440g
- Color : Black/ White



IR-IO002

- Powder coated metal hook
- Color : Black/ White



HANGERS



IR-HG001



IR-HG002



IR-HG003



IR-HG004

- Trouser hanger
- Skirt hanger
- Satin hanger
- Coat hanger
- Wooden coat brush
- Wooden shoe horn
- Size & Finish Can be customized as per requirement


IR-ST001

- Wood with stainless steel
- Sizes available as per request



IR-ST002

- Wood with stainless steel ir-st002
- Sizes available as per request





IR-CB002

- Cane basket
- The plastic feet protect from moisture.
- Each basket is woven by hand
- Size : 410 * 410 * 600 mm



IR-CB001

- High quality synthetic cane with linen cloth liner
- Size : 420 * 280 * 390 mm



IR-CB003

- Polyrattan synthetic weave basket with linen fabric liner
- Size : 250 * 250 mm



Washroom

MIRROR

IR-MR001

- Wall mounted double side mirror
- Solid brass with chrome plated
- Size : 8" DIA
- Fold : 3x Magnification
- No visible screws on base surface



IR-MR004

- Acrylic wall mounted round mirror with led light
- Solid brass with chrome plated, hardwired
- Double arm single side led mirror
- Size : 8" DIA
- Power : AC 110-260v
- Fold : 3x Magnification
- Light color : White / Warm White / Yellow



IR-MR002

- Wall mounted square mirror with led light
- Solid brass with chrome plated
- Double arm single side led mirror
- Size : 8" * 8"
- Power : AC 110-260v, 4 x aa batteries,
- Rechargeable batteries
- Fold : 3x Magnification
- Light color : White / Warm White / Yellow

IR-MR003

- Acrylic wall mounted round mirror with led light
- Solid brass with chrome plated, hardwired
- Double arm single side led mirror
- Size : 8"
- Power : AC 110-260v, 4 x aa batteries,
- rechargeable batteries
- Fold : 3x magnification
- Light color : White / Warm White / Yellow





IR-MR006

- Wall mounted rectangle mirror with led light
- Solid brass with chrome plated
- Double arm single side led mirror
- Size : 180*240mm
- Power : ac 110-260v, 4 x AA batteries, rechargeable batteries
- Fold : 3x magnification
- Light color : White / Warm White / Yellow




IR-MR007

- Size : 8" * 8" wall mounted square mirror
- With led light, hardwired connection
- 3x magnification
- Light: White light
- Matt Black
- Double square arms, rectangle base



IR-MR005

- Wall mounted square mirror with led light
- Solid brass with chrome plated
- Double arm single side led mirror
- Size : 220*220mm
- Power : AC 110-260v, 4 x aa batteries, rechargeable batteries
- Fold : 3x magnification
- Light color : White / Warm White / Yellow



IR-MR008

- Size : 8" wall mounted round mirror
- With led light, hardwired connection
- 3x magnification
- Light: white light
- Matt Black
- Double round arms, round base

Acrylic wall-mounted round mirror
with LED light Material: Solid brass
with chrome plating Hardwired
Design: Double arm
Single side LED mirror
Size: 8" diameter
Power Options: 4 x AA batteries
Features: Foldable with 3X
magnification
Light Color Options: White/Warm
white/Yellow



IR-MR009



IR-MR010

Mirror Size: 215 x 215 mm
Overall Dimensions: 435 x 230 mm
Mirror Thickness: 10 mm
Net Weight (per set): 1 kg
Gross Weight (per carton): 4 kg
Quantity per Carton: 10 sets
Foam Packing Dimensions: 720 x 300 x 590 mm



IR-MR011

Mirror Size: 200 x 200 mm
Overall Dimensions: 438 x 200 mm
Mirror Thickness: 2 mm
Net Weight (per set): 1.15 kg
Gross Weight (per carton): 15.5 kg
Quantity per Carton: 10 sets
Foam Packing Dimensions: 720 x 300 x 590 mm



IR-MR012

Mirror Size: 455 x 230 mm
Mirror Thickness: 2 mm
Net Weight (per set): 1.15 kg
Gross Weight (per carton): 15.5 kg
Quantity per Carton: 10 sets
Foam Packing Dimensions: 720 x 300 x 590 mm

HAIR DRYER



IR-HR001

- 3 Heat selectors including cold shot
- 3 Airflow 60 and 90 m³/h including cold shot
- Spiral cord length 40 cm extendable
- Integrated over-heating and circuit protection
- Size : 250*260*140 mm
- Color : white / black
- 220v(50hz-60hz)
- 1200w
- 13m/s





IR-HR004

- 3 Airflow 60 and 90 m³/h including cold shot
- Overheating protection system with main power on the hanging pedestal. It is convenient, safe and energy saving shaving socket is that the power outputs less than 15 wattage
- Spiral cord length 40 cm extendable
- Impact resistant
- Size : 250*260*140 mm
- Color : White / Black
- 220v(50hz-60hz) | 1600w | 14m/s



IR-HR005

- High Density ABS Material
- Concealed shaver socket unit
- 2 Speed function
- Size : 166*88*235 mm
- Color : White
- 220V(50hZ-60Hz) | 1100W | 15m/s



IR-HR0011

- Dc motor
- 2 Speeds/3 temperature settings
- Cool shot fuction
- Ionic function
- Hanging-up loop
- Removable end cap for easy cleaning
- Powerful motor
- Styling concentrator
- Removable end cap
- Vde plug.
- Hanging-up loop
- 220-240v-50/60hz
- 1875w
- Finish : matt/rubber



IR-HR015

- 220-240v 1600w 50-60hz
- Cool shot function
- Foldable handle
- Removable end cap for easy cleaning
- Hang up hook
- 2 Speed and 3 heat settings



IR-HR016

- 220-240v 2000w 50-60hz
- Retractable cord
- Two speed & three temperature
- Cool shot function
- Removable end cap for easy cleaning
- Hang up hook



IR-HR024

- 220-240v-50hz 2000 w
- 2 Speed & 3 heats controlled by 2 slide switch
- Hanging-up loop
- Cool shot knob
- Styling concentrator
- Rear removable airinlet metal grill
- With folded handle
- 2x1.00mm flat pvc coiled cable,3m when extended

IR-HR024 Holder





IR-HR020

- 1800w | 220-240v | 50/60hz
- Low noise
- Speed: 16m/s max
- Two speed & three temperature
- Micro switch safety button for over-heating protection
- Cool shot button

IR-HB001

- Material : Canvas / Velvet



IR-HR026

- 220v-240v 50hz 2000w
- Hanging-up loop
- 2x1.00mm flat PVC coiled cable, 3m when extended
- Cool shot Button
- Two speed & Three temperature settings



IR-HR027

- 220v-240v 50hz 1870w
- Hanging-up loop
- 2x1.00mm flat PVC coiled cable, 3m when extended
- Cool shot Button
- Two speed & Three temperature settings
- Cool shot knob



IR-HR028

- 220v-240v 50hz 1870w
- Hanging-up loop
- 2x1.00mm flat PVC coiled cable, 3m when extended
- Cool shot Button
- Two speed & Three temperature settings
- Foldable handle with 1 magnetic concentrator

IR-HR031

- Voltage: 220-240V,
- Frequency: 50/60 Hz
- Power: 1600 W
- 5 temperatures
- 2 wind speeds
- Micro switch
- Over-heating protection
- Color: Black with chrome finish



IR-HR030

- Voltage: 220-240V,
- Frequency: 50/60 Hz
- Power: 1800 W
- 3 temperatures
- 2 wind speeds
- Micro switch
- Over-heating protection
- Material: ABS
- Color: Black with chrome finish





IR-HR029

Voltage: 220-240V, 50-60Hz
 Power: 2200W
 Motor Type: DC Motor
 Functions: sense touch function
 Cool shot function
 Settings: 2 speed settings
 3 heat settings
 Features: Styling concentrator
 Removable end cap
 Hanging-up loop

Voltage: 220-240V, 50/60Hz
 Material: High-quality ABS
 Max Power: 1600W
 Settings: 2 Speed & 3 Heat
 Settings Color Options: Black, White
 Air Speed: 13 m/s
 Features:
 Overheating protection system
 With concentrator nozzle
 Quiet and long-life motor
 Cord: 2m coiled cord



IR-HR032



IR-HR033

Power: 1875W
 Voltage: 220-240V ~ 50/60Hz
 Settings: 2 speeds & 3 heat settings
 Motor: DC motor
 Features:
 Safety power switch
 Wall-mounted base
 Spiral cable on device



IR-HR034

Color: Grey (PANTONE 8402 C)
 Motor: BLDC (Brushless DC Motor)
 Plug Type: EU plug, Type-C Voltage: 220V
 Power: 1500W
 Market Suitability: Dubai/UAE

Voltage: 220-240V, 50/60Hz
 Power: 1800W
 Motor Lifetime: 1000 hours
 Body Material: Aluminum alloy
 Functions: Ionic function (for choice)
 Cool shot function
 Settings: 3 temperature settings
 3 speed settings
 Features:
 Switch indicator light
 Removable filter cover
 Magnetic detachable concentrator

Motor Type: DC motor
 Voltage: 220-240V, 50/60Hz
 Power: 2200W
 Functions: Ionic function
 Cool shot function
 Noise Level: 75dB at 30 cm distance
 Settings: 2 speeds
 3 heat settings
 Features: 2 rocker switches
 Removable filter cover
 Detachable professional concentrator



IR-HR035



IR-HR036



PERSONAL SCALE



IR-WS003

- Stainless steel with glass
- Brushed stainless steel finish
- Large, easy to read 1.2" Lcd display
- 180kg/400lb capacity
- Four digit readout in 0.1 Kg or 0.2lb
- Unit : kg / lb/ st
- Powered by lithium battery
- Size : 300 * 300 * 22 mm

IR-WS005

- Glass material
- Powered by lithium battery
- Large, easy to read 1.2" Lcd display
- 150kg/330lb capacity
- Four digit readout in 0.1 Kg or 0.2lb
- Unit : kg / lb/ st
- Max weight : 180kg



IR-WS008

- Glass material
- Color : black
- Large, easy to read 1.2" Lcd display
- 150kg/330lb capacity
- Four digit readout in 0.1 Kg or 0.2lb
- Unit : kg / lb/ st
- Powered by lithium battery
- Size : 300 * 300 * 22 mm



IR-WS010

- Reverse lcd with backlight
- Capacity:180kg /400 lb
- Power :2x1.5v AAA(excluded)
- Wood finish

IR-WS012

- 5 Mm tempered safety glass platform
- Automatic power generation control.
- Capacity: 180kg/396lbs
- Division: 0.1kg/0.2lb
- Battery-free technology,
- Environment-friendly.



IR-WS011

- 5 Mm tempered safety glass platform
- Automatic power generation control.
- Capacity: 180kg/396lbs
- Division: 0.1kg/0.2lb
- Battery-free technology,
- Environment-friendly.

WASTE BINS



IR-WRB01

- Classic pedal bin
- Capacity : 5 ltr
- Finish : Matt / Mirror



IRWRB03

- Sleak design pedal bin
- Noise-free
- Fingerprint resistant
- Soft close
- Capacity : 6 ltr




IR-WRB02

- Elegant pedal bin
- With soft close & pp liner
- Capacity : 3 ltr / 5 ltr
- Finish : matt
- Color : SS / Black



IR-WRB04

- Noise-free
- Fingerprint resistant
- Soft close
- Plastic bag fixel
- Capacity : 5 ltr





IR-BTC01

- 304# Stainless steel
- Extendable bathtub caddy



IR-BTC02

- 304# Stainless steel
- Extendable bathtub caddy

BATH TUB CADDY



IR-BTC04

- Wooden
- Extendable bathtub caddy



BATH TUB PILLOW

IR-BTP01

- PU material



IR-BTP02

- Luxury soft gel material

ANTI-SKID MAT



IR-BM001

- Reliable slip-resistance
- With suction cups
- Anti-bacterial treatment
- Mould and mildew resistance
- Size: 35 x 55 cm



Bespoke

LEATHERETTE

IR-LS001



IR-LS002


IR-LS003



IR-LS004



IR-LS005



IR-LS006

LEATHERETTE

IR-LS007



IR-LS019

IR-LS009



IR-LS015



IR-LS017



IR-LS018





RESIN STONE

IR-WA001



IR-WA002



IR-WA003



RESIN



IR-WA015




IR-WA016

IR-WA017




METAL

IR-WA020



IR-WA021



MOTHER OF PEARL



IR-WA022

IR-WA023



IR-WA026



WOOD



IR-WA024



IR-WA025

Housekeeping



LAUNDRY TROLLEY



TR-HMLT001

- Size (l*w*h) : 920 * 560 * 910 mm
- Material: Stainless Steel



TR-HMLT002

- Size (l*w*h) : 900 * 650 * 850 mm
- Material: Stainless Steel



TR-HMLT003

- Size (l*w*h) : 940 * 575 * 770 mm
- Material : Fibre Glass



TR-HMLT004

- Size (l*w*h) : 1050 * 650 * 800 mm
- Material : Aluminium



TR-HMLT005

- Size (l*w*h) : 990 * 565 * 900 mm
- Material: Stainless Steel

TR-HMLT006

- Size (l*w*h) : 640 * 485 * 1070 mm
- Material: Stainless Steel



TR-HMLT007

- Size (l*w*h) : 880 * 630 * 1820 mm fully enclosed fresh linen trolley
- Mild steel rust resistant white epoxy finish



TR-HMLT008

- Size (l*w*h) : 880 * 630 * 1820 mm
- Material:Stainless Steel

TR-HMLT009

- Size (l*w*h) : 1170 * 550 * 1900 mm
- Material :Stainless steel





TR-HMLT010

- Size (L*W*H) : 1220 * 555 * 1700 mm
- Material: Stainless Steel



TR-HMLT011

- Size: 42"x24"x60"
- Material: Stainless Steel

CHAMBERMAID TROLLEY



TR-HKMC002

- Size (l*w*h) : 1524 * 559 * 1710 mm
- Material: HDPE



TR-HKMC003

- Size (l*w*h) : 1440 * 540 * 1370 mm
- Material: HDPE

TR-HKMC005

- Ms Powder Coated
- Size (l*w*h) : 1610 * 550 * 1340 mm
- Material: HDPE



TR-HKMC006

- Size (l*w*h) : 840 * 550 * 1260 mm
- Material : Aluminium





TR-HKMC007

- Size (l*w*h) : 1080 * 550 * 1260 mm
- Material : Aluminium



TR-HKMC008

- Size (l*w*h) : 1080 * 550 * 1260 mm
- Material : Aluminium



TR-HKMC009

- Size (l*w*h) : 950 * 530 * 1230 mm
- Material: Ms Powder Coated



MINIBAR TROLLEY

TR-HKMB001

- Size (L*W*H) : 1040 * 520 * 1100 mm
- Material : Steel Powder Coated frame with laminated MDF body



TR-HKMB002

- Size (l*w*h) : 1220 * 560 * 1380 mm
- Material : Steel Powder Coated frame with laminated MDF body



ROOM SERVICE TROLLEY



TR-HKRS001

- Size (L*W*H) : 1070 * 910 * 745 mm
- Material : Stainless Steel frame with MDF top



TR-HKRS002

- Size (L*W*H) : 1070* 910* 745 mm
- Material : Stainless Steel frame with MDF top





TR-HKRS003

- Size (l*w*h) : 380 * 370 * 480 mm
- Material : 201 Grade / 304 Grade stainless steel

TR-HKRS004

- Size (l*w*h) : 380 * 370 * 480 mm
- Material : Stainless Steel



TR-HKRS005

- Size (l*w*h) : 870 * 440 * 1660 mm
- 201 Grade / 304 grade stainless steel with mirror finish



TR-BO001

- Size (l*w*h) : 900 * 600 * 900 mm
- Material: Stainless Steel



TR-BO002

- Size (l*w*h) : 990 * 620 * 915 mm triple capacity cleaning trolley
- Material: Steel powder coated



TR-BO003

- Size (L*W*H) : 1226 * 559 * 1118 mm
- Material : Fibre



Trolley

FRONT OFFICE TROLLEY

TR-FO014

- Size (l*w*h) : 500 * 380 * 1220 mm
- Material: brass construction with durable double chrome



TR-FO013

- Size (l*w*h) : 500 * 400 * 1220 mm
- Material: Stainless steel construction with durable double chrome

TR-FO002

- Size (l*w*h) : 1140 * 670 * 1900 mm wheel: 6", 2 fixed, 2 swivel
- Stainless Steel in matt finished tube dia :52mm



TR-FO003

- Size (l*w*h) : 1140 * 670 * 1900 mm
- Material: Copper coated



TR-FO004

- Size (l*w*h) : 1140 * 670 * 1900 mm
- Material: Brass



TR-FO006

- Size (L*W*H) : 1140 * 670 * 1900 mm
- Material : Stainless Steel



TR-FO009

- Size (l*w*h) : 1140 * 670 * 970 mm
- Material: Brass



TR-FO010

- Size (l*w*h) : 1140 * 670 * 970 mm
- Material: Copper Coated



TR-FO012

- Size (l*w*h) : 600 * 530 * 1220 mm
- Material: Brass construction with durable double chrome



Our References

- AARAH IN RAA ATOLL, MALDIVES
- ADAARAN CLUB RANNALHI, MALDIVES
- ADAARAN SELECT HUDHURANFUSHI, MALDIVES
- ALOFT AEROCITY, DELHI, INDIA
- ALOFT, BANGALORE, INDIA
- CINNAMON HAKURAA HURAA, MALDIVES
- CONRAD, BANGALORE, INDIA
- CONRAD, PUNE, INDIA
- COURTYARD MARRIOTT HEBBAL, BANGALORE, INDIA
- COURTYARD MARRIOTT, AGRA, INDIA
- COURTYARD MARRIOTT, COLOMBO, SRI LANKA
- COURTYARD MARRIOTT, MADURAI, INDIA
- COURTYARD MARRIOTT, MAHABALESHWAR, INDIA
- COURTYARD MARRIOTT, NASHIK, INDIA
- COURTYARD MARRIOTT, SILIGURI, INDIA
- DOUBLE TREE BY HILTON, GOA, INDIA
- DUSIT D2, OMAN
- FAIRFIELD BY MARRIOTT, BANGALORE, INDIA
- FAIRFIELD BY MARRIOTT, CHENNAI, INDIA
- FAIRFIELD BY MARRIOTT, COIMBATORE, INDIA
- FAIRFIELD BY MARRIOTT, JODHPUR, INDIA
- FAIRFIELD BY MARRIOTT, KOLKATTA, INDIA
- FAIRFIELD BY MARRIOTT, PUNE, INDIA
- FAIRFIELD BY MARRIOTT, SRIPERAMANDUR, INDIA
- FAIRFIELD BY MARRIOTT, VADODARA, INDIA
- FINOLHU BAA ATOLL MALDIVES
- FOUR POINTS BY SHERATON, KOCHI, INDIA
- FOUR SEASONS, BANGALORE, INDIA
- FOUR SEASONS, MUMBAI, INDIA
- GRAND MERCURE, BANGALORE, INDIA
- GRAND MERCURE, DWARAKA, INDIA
- GRAND MERCURE, MYSORE, INDIA
- GRAND HYATT, GURGAON, INDIA
- HILTON EMBASSY, BANGALORE , INDIA
- HILTON GARDEN INN, BANGALORE , INDIA
- HILTON GARDEN INN, TRIVANDRUM, INDIA
- HILTON, BANGALORE, INDIA
- HOLIDAY INN EXPRESS, BANGALORE, INDIA
- HOLIDAY INN, CHENNAI, INDIA
- HYATT ALILA, OMAN
- HYATT CENTRIC, BANGALORE, INDIA
- HYATT CENTRIC, GOA, INDIA
- HYATT PLACE, GURGAON, INDIA
- HYATT PLACE, RAMESHWARAM, INDIA
- HYATT REGENCY, CHANDIGARH, INDIA
- HYATT REGENCY, CHENNAI, INDIA
- HYATT REGENCY, GURGAON, INDIA
- HYATT REGENCY, LUCKNOW, INDIA

- HYATT REGENCY, JAIPUR, INDIA
- HYATT CENTRIC, CHANDIGARH, INDIA
- ITC, NARMADA, AHMEDABAD, INDIA
- ITC SONAR II, KOLKATA, INDIA
- JW MARRIOTT BENGALURU PRESTIGE GOLFSHIRE RESORT & SPA, INDIA
- JW MARRIOTT SAHAR, MUMBAI, INDIA
- JW MARRIOTT, CHANDIGARH, INDIA
- JW MARRIOTT, KOLKATA, INDIA
- LAGUNA HOTEL DMCC, DUBAI UAE
- LE MERIDIAN, GOA, INDIA
- LE MERIDIEN, BHUTAN
- MARRIOTT EXECUTIVE APPARTMENT, HYDERABAD, INDIA
- MARRIOTT RENAISSANCE POWAI, MUMBAI, INDIA
- MARRIOTT RENAISSANCE, BANGALORE, INDIA
- MARRIOTT WELIGAMA, SRI LANKA
- MARRIOTT WHITEFIELD, BANGALORE, INDIA
- MARRIOTT, INDORE, INDIA
- MARRIOTT, JAISELMER, INDIA
- MOMENTOES BY ITC, UDAIPUR, INDIA
- MOVEN PICK HOTEL JUMEIRAH LAKES TOWERS, DUBAI UAE
- NOVOTEL, GUWAHATI, INDIA
- NOVOTEL, KOCHI, INDIA
- NOVOTEL, KOLKATA, INDIA
- OAKWOOD PREMIER, BANGALORE, INDIA
- OAKWOOD RESIDENCE, HYDERABAD, INDIA
- RADISSON ATRIA, BANGALORE, INDIA
- RADISSON BAGA, INDIA
- RADISSON CHANDIGARH, INDIA
- RADISSON DELHI, INDIA
- RADISSON DHARAMSHALA, INDIA
- RADISSON FARIDABAD, INDIA
- RADISSON GOA, INDIA
- RADISSON GUWAHATI, INDIA
- RADISSON GWALIOR, INDIA
- RADISSON HYDERABAD, INDIA
- RADISSON KANDLA, INDIA
- RADISSON RESORT TEMPLE BAY, CHENNAI , INDIA
- RADISSON SALEM, INDIA
- RADISSON VIZAG, INDIA
- RADISSON ZIRAKHPUR, INDIA
- RADISSON, ALIBAUG, INDIA
- RADISSON, AMRITSAR, INDIA
- RIXOS, DUBAI UAE
- ROYAL M HOTEL, ABU DHABI, UAE
- SHERATON CEBU MACTAN RESORT, PHILLIPPINES
- SHERATON COLOMBO, SRI LANKA
- SHERATON GRAND BENGALURU WHITEFIELD HOTEL & CONVENTION CENTER, INDIA
- SHERATON GRAND, BANGALORE, INDIA
- THE LEELA BHARTIYA CITY, HOTEL CONVENTION & RESIDENCES, BENGALURU, INDIA
- THE LEELA, GANDHINAGAR, INDIA

Our References



Walthr

Hospitality and Beyond

WALTHR CORPORATION LIMITED

41 Devonshire Street
Ground Floor,
London W1G 74J.

(+44) 020 3745 5328

WALTHR ASIA PACIFIC OFFICE

Walthr International Private Limited
43, Residency Rd, Shanthala Nagar,
Ashok Nagar, Bengaluru - 560025
Karnataka, India

(+91) 70199 53840

Visit Us at : **www.walthr.com** | Mail Us at : **sales@walthr.com**